


FORM PTO/SB/08A/B (10-01)
Substitute for PTO-1449A/B

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)



Attorney Docket Number	36792/SAH/B600
Application Number	09/643,920
Filing Date	August 23, 2000
Applicant(s)	Onur Tackin, et
Group Art Unit	2666
Examiner Name	Frank Duong

RECEIVED
NOV 22 2004
Technology Center 2600

U.S. PATENT DOCUMENTS


EXAMINER INITIALS	Cite No. ¹	DOCUMENT NUMBER Number - Kind Code ² (If Known)	PUBLICATION DATE MM-DD-YYYY	NAME OF PATENTEE

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Foreign Patent Document Country Code ³ - Number ⁴ - Kind Code ⁵ (If Known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	⁶ (✓)
FD	—	WO 97/26753 A1	07-24-1997	I-Link Worldwide, Inc.	—
FD	—	WO 97/28628 A1	08-07-1997	Labs of Advanced Technologies International Corporation	—

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	R. W. LUCKY, <i>QAM Receiver I. General Description of Complete Receiver Block Diagram and Details of the Symbol Clock Recovery and Other Front-End Subsystems</i> , Applications of Communications Theory, Chapter 13, pages 127-135, Bellcore
FD	—	R. W. LUCKY, <i>QAM Receiver II. The Passband Adaptive Equalizer and Carrier Recovery System</i> , Applications of Communications Theory, Chapter 14, Pages 137-151, Bellcore
FD	—	EDWARD A. LEE et al., <i>Adaptive Equalization</i> , Digital Communication, Chapter 9, pages 371-402
FD	—	EDWARD A. LEE et al., <i>Timing Recovery</i> , Digital Communication, Chapter 15, Pages 560-582
FD	—	WILLIAM WEBB et al., <i>Basic Equaliser Techniques</i> , Modern Quadrature Amplitude Modulation, Principles and Applications for Fixed and Wireless Communications, IEEE Press, New York, Chapter 7, Pages 197-211
FD	—	MIKE GRAY, <i>FAX Technology Tutorial and Testing Issues</i> , Agilent Technologies, © 2000, pages 1-20
FD	—	<i>FAX Over IP Opportunities and Options</i> , Natural MicroSystems, 7 sheets
FD	—	EIA/TIA-464-B, Requirements for Private Branch Exchange (PBX) Switching Equipment, "6 Signaling Requirements, 6.1 Network Signaling - Analog," pages 140-146

EXAMINER SIGNATURE		DATE CONSIDERED	5/19/05
<small>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.</small>			

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

FORM PTO/SB/08A/B (10-01)
Substitute for PTO-1449A/B

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)

Attorney Docket Number

36792/SAH/B600

Application Number

09/643,920

Filing Date

August 23, 2000

Applicant(s)

Onur Tackin et al.

Group Art Unit

2666

Examiner Name

Frank Duong

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	MAN MOHAN SONDHJI et al., <i>Silencing Echoes on the Telephone Network</i> , Proceedings of the IEEE, © August 1980, Vol. 68, No. 8, pages 948-963
FD	—	JOHN G. PROAKIS, <i>Digital Signaling Over a Channel With Intersymbol Interference</i> , Digital Communications, ISBN 0-07-05097-1, © 1983, Pages 357-381, McGraw-Hill, Inc.
FD	—	BELL COMMUNICATIONS RESEARCH, <i>Dual-Tone Multifrequency Receiver Generic Requirements for End-to-End Signaling Over Tandem-Switched Voice Links</i> , © March 1987, Technical Reference TR-TSY-000181 Issue 1, 11 sheets
FD	—	BELL COMMUNICATIONS RESEARCH, <i>Impulse Noise Tape No. 201</i> , Technical Reference TR-TSY-000762 Issue 1, © July 1987, 4 sheets
FD	—	BELL COMMUNICATIONS RESEARCH, <i>Digit Simulation Test Tape</i> , Technical Reference TR-TSY-000763 Issue 1, © July 1987, 6 sheets
FD	—	JOHN A.C. BINGHAM, <i>Timing Recovery</i> , The Theory and Practice of Modem Design, © 1988, Chapter 7, pages 189-236, John Wiley & Sons, Inc.
FD	—	JOHN A.C. BINGHAM, <i>Linear Adaptive Equalizers</i> , The Theory and Practice of Modem Design, © 1988, Chapter 8, pages 237-252, John Wiley & Sons, Inc.
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, General Aspects of Digital Transmission Systems, Terminal Equipments, <i>Pulse Code Modulation (PCM) of Voice Frequencies</i> , ITU-T Recommendation, G. 711; © ITU 1988, 1993; 8 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Transmission Systems and Media, Apparatus Associated With Long-Distance Telephone Circuits and Other Terminal Equipments, <i>Echo Suppressors</i> , ITU-T Recommendation, G. 164; © ITU 1988, 1993; 36 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, General Aspects of Digital Transmission Systems, Terminal Equipments, <i>7 kHz Audio -Coding Within 64 Kbit/s</i> , ITU Recommendation; G. 722; © ITU 1988, 1993; 76 sheets

EXAMINER
SIGNATURE

DATE
CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

RRT/clv

Sheet 2 of 9

FORM PTO/SB/08A/B (10-01)
Substitute for PTO-1449A/B

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Attorney Docket Number

36792/SAH/B600

Application Number

09/643,920

Filing Date

August 23, 2000

Applicant(s)

Onur Tackin, et al.

Group Art Unit

2666

Examiner Name

Frank Luong

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, General Recommendations On Telephone Switching and Signalling, International Automatic and Semi-Automatic Working, <i>Technical Features of Push-Button Telephone Sets</i> , ITU-T Recommendation; Q 23; © ITU 1988, 1993, 4 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, General Recommendations on Telephone Switching and Signalling, International Automatic and Semi-Automatic Working, <i>Multifrequency Push-button Signal Reception</i> , ITU-T Recommendation, Q. 24, © ITU 1988, 1993, 7 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Data Communication Over the Telephone Network, <i>300 Bits Per Second Duplex Modem Standardized For Use in The General Switched Telephone Network</i> , ITU-T Recommendation V. 21; © ITU 1988, 1993; 7 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, Data Communication Over The Telephone Network, <i>1200 Bits Per Second Duplex Modem Standardized For Use In The General Switched Telephone Network And On Point-To-Point 2-Wire Leased Telephone-Type Circuits</i> , ITU-T Recommendation V.22, © ITU 1988, 1993; 16 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, Data Communication Over The Telephone Network, <i>2400 Bits Per Second Duplex Modem Using The Frequency Division Technique Standardized For Use On The General Switched Telephone Network And On Point-To-Point 2-Wire Leased Telephone-Type Circuits</i> , ITU-T Recommendation V.22 bis, © 1988, 1993; 18 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Data Communication Over the Telephone Network, <i>4800/2400 Bits Per Second Modem Standardized For Use in The General Switched Telephone Network</i> , ITU-T Recommendation, V.27 ter, © ITU 1988, 1993; 15 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Data Communication Over the Telephone Network, <i>9600 Bits Per Second Modem Standardized For Use On Point-To-Point 4-Wire Leased Telephone-Type Circuits</i> , ITU-T Recommendation, V. 29, © ITU 1988, 1993, 17 sheets

EXAMINER
SIGNATURE

DATE
CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

RRT/clv

Sheet 3 of 9

FORM PTO/SB/08A/B (10-01)
Substitute for PTO-1449A/B

INFORMATION DISCLOSURE
STATEMENT BY APPLICANT

(use as many sheets as necessary)

Attorney Docket Number

36792/SAH/B600

Application Number

09/643,920

Filing Date

August 2, 2000

Applicant(s)

Onur Tackin, NOV 22 2004

Group Art Unit

2666 Technology Center 2600

Examiner Name

Frank Duong

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	FUYUN LING et al., <i>Convergence and Steady-State Behavior of a Phase-Splitting Fractionally Spaced Equalizer</i> , IEEE Transactions on Communications, © April 4, 1990, Vol. 38, No. 4, pages 418-425, IEEE
FD	—	PAUL FISCHER, <i>State Machines In C</i> , The C Users Journal, December 1990, pages 119-122
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, CCITT The International Telegraph and Telephone Consultative Committee, Data Communication Over the Telephone Network, <i>Data Compression Procedures For Data Circuit Terminating Equipment (DCE) Using Error Correction Procedures</i> , ITU-T Recommendation, V.42 bis; © ITU 1990; 29 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, CCITT The International Telegraph and Telephone Consultative Committee, General Aspects of Digital Transmission Systems; Terminal Equipments, 40, 32, 24, 16 kbit/s <i>Adaptive Differential Pulse Code Modulation (ADPCM)</i> , ITU-T Recommendation, G.726; © 1990; 59 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, CCITT The International Telegraph and Telephone Consultative Committee, General Aspects of Digital Transmission Systems; Terminal Equipments, 5-, 4-, 3- And 2-bits <i>Sample Embedded Adaptive Differential Pulse Code Modulation (ADPCM)</i> ; Recommendation G. 727; © ITU 1990; 57 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, CCITT- The International Telegraph and Telephone Consultative Committee, Data Communication Over the Telephone Network, <i>A 2-Wire Modem for Facsimile Applications With Rates up to 14 400 bit/s</i> , Recommendation V. 17; © ITU 1991; 13 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, Data Communication Over The Telephone Network, <i>A Duplex Modem Operating At Data Signalling Rates Of Up To 14 400 bit/s For Use On The General Switched Telephone Network And On Leased Point-To-Point 2-Wire Telephone-Type Circuits</i> , ITU-T Recommendation V. 32 bis; © ITU 1991, 24 sheets
FD	—	DENNIS R. MORGAN et al., AT & T Bell Laboratories; <i>A Multi-Tone Pseudo-Cascade Filtered-X LMS Adaptive Notch Filter</i> , Proceeding of the IEEE International Conference in Acoustic Speech and Signal Processing, ICASSP 91, Vol. 3 D, May 1991, Toronto, Ontario, Canada, pages 2093-2096

EXAMINER
SIGNATURE

me Ohoy

DATE
CONSIDERED

5/19/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE


RRT/clv

Sheet 4 of 9

FORM PTO/SB/08A/B (10-01)
Substitute for PTO-1449A/B

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)



Attorney Docket Number	36792/SAH/B600
Application Number	09/643,920
Filing Date	August 23, 2000
Applicant(s)	Onur RECEIVED
Group Art Unit	2666 NOV 22 2004
Examiner Name	Frank Duong Technology Center 2600

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	PANOS E. PAPAMICHALIS, Texas Instruments, Inc., <i>Practical Approaches to Speech Coding</i> , Prentice-Hall, Inc., Englewood Cliffs, New Jersey; 1992, pages 163-167
FD	—	JAMES THI et al., AT & T Bell Laboratories; <i>A Broadband Pseudo-Cascade Active Control System</i> , Proceeding of the IEEE International Conference in Acoustic Speech and Signal Processing; © 1992 IEEE; pp. II-233-II-236
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU; General Aspects of Digital Transmission Systems; Terminal Equipments, <i>Coding of Speech at 16 kbit/s Using Low-delay Code Excited Linear Prediction</i> , Recommendation G. 728; 09/1992, 65 sheets
FD	—	DENNIS R. MORGAN et al., AT & T Bell Laboratories, <i>A Multitone Pseudocascade Filtered-X LMS Adaptive Notch Filter</i> , IEEE Transactions on Signal Processing, Vol. 41, No. 2; © February 1993; pages 946-956
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, General Characteristics of International Telephone Connections and International Telephone Circuits, <i>Echo Cancellers</i> , ITU-T Recommendation G. 165; © ITU 1994; 31 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, Data Communication Over The Telephone Network, <i>A Family Of 2-Wire, Duplex Modems Operating At Data Signalling Rates Of Up To 9600 bit/s For Use On The General Switched Telephone Network And On Leased Telephone-Type Circuits</i> , ITU-T Recommendation V.32; © 1993; 26 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Data Communication Over the Telephone Network, ERROR-CORRECTING PROCEDURES FOR DCES USING ASYNCHRONOUS-TO-SYNCHRONOUS CONVERSION , ITU-T Recommendation V. 42; © ITU 1993; 78 sheets
FD	—	GARDNER et al.; Qualcomm Inc.; <i>QCELP: A Variable Rate Speech Coder for CDMA Digital Cellular</i> , © 1993 by Kluwer Academic Publishers; Second Printing 1995; 9 sheets

EXAMINER
SIGNATURE

Paul Onur

DATE
CONSIDERED

5/19/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE


RRT/clv

Sheet 5 of 9

FORM PTO/SB/08A/B (10-01)
Substitute for PTO-1449A/B

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)



Attorney Docket Number	36792/SAH/B600
Application Number	09/643,920
Filing Date	August 23, 2000
Applicant(s)	RECEIVED Office of the Patent and Trademark Office
Group Art Unit	2666 NOV 22 2004
Examiner Name	Technology Center 2600

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU; Data Communication Over The Telephone Network, A Modem Operating At Data Signalling Rates Of Up To 28 800 bit/s For Use On The General Switched Telephone Network And On Leased Point-To-Point 2-Wire Telephone-Type Circuits, ITU-T Recommendation V.34; © ITU 1994; 43 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION ITU-T Telecommunication Standardization Sector of ITU, General Aspects of Digital Transmission Systems, Coding of Speech at 16 kbit/s Using Low-Delay Code Excited Linear Prediction, Annex G: 16 kbit/s Fixed Point Specification, ITU-T Recommendation G.728 - Annex G; © ITU 1995; 67 sheets
FD	—	IEEE; IEEE Standards for Local and Metropolitan Area Networks: Supplement to Carrier Sense Multiple Access with Collision Detection (CSMA/CD) Access Method and Physical Layer Specifications, "Media Access Control (MAC) Parameters, Physical Layer, Medium Attachment Units, and Repeater for 100 Mb/s Operation, Type 100BASE-T (Clauses 21-30); © 1995; 408 sheets
FD	—	DENNIS R. MORGAN et al., A Delayless Subband Adaptive Filter Architecture, IEEE Transactions on Signal Processing; Vol. 43, No. 8; © August 1995, pages 1819-1830
FD	—	Internet Papers: SCHULZRINNE H.; RTP Profile for Audio and Video Conferences with Minimal Control, Network Working Group Request for Comments: 1890; http://www.cis.ohio-state.edu/cgi-bin/rfc/rfc1890.html ; January 1996; 15 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, General Aspects of Digital Transmission Systems, Dual Rate Speech Coder For Multimedia Communications Transmitting at 5.3 and 6.3 kbit/s; ITU-T Recommendation G. 723.1; © ITU 1996; 31 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION ITU-T Telecommunication Standardization Sector of ITU, General Aspects of Digital Transmission Systems, Coding of Speech at 8 kbit/s Using Conjugate-Structure Algebraic-Code-Excited Linear-Prediction (CS-ACELP); ITU-T Recommendation G.729; © ITU 1996; 38 sheets
FD	—	BELLCORE Bell Communication Research, Generic Requirements GR-506-CORE, LSSGR: Signaling for Analog Interfaces, (A Module of LSSGR, FR-64); Issue 1; © June 1996; 240 sheets

EXAMINER SIGNATURE		DATE CONSIDERED	5/19/05
--------------------	--	-----------------	---------

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov of MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.

Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

FORM PTO/SB/08A/B (10-01)
Substitute for PTO-1449A/B

**INFORMATION DISCLOSURE
STATEMENT BY APPLICANT**

(use as many sheets as necessary)

Attorney Docket Number

36792/SAH/B600

Application Number

09/643,920

Filing Date

August 23, 2000

Applicant(s)

Onur Taci

Group Art Unit

2666

Examiner Name

Frank D

RECEIVED

NOV 22 2004

Technology Center 2600

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	FD	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T- Telecommunication Standardization Sector of ITU, Series T: Terminal Equipments and Protocols for Telematic Services, <i>Procedures for Document Facsimile Transmission in the General Switched Telephone Network</i> , ITU-T Recommendation T. 30; © ITU 1997; 74 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series T: Terminal Equipments and Protocols for Telematic Services, <i>Standardization of Group 3 Facsimile Terminals for Document Transmission</i> , ITU-T Recommendation T. 4; © ITU 1997; 61 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series G: Transmission Systems and Media, Digital Transmission Systems - Terminal Equipments - Coding of Analogue Signals By Methods Other Than PCM, <i>Dual Rate Speech Coder for Multimedia Communications Transmitting at 5.3 and 6.3 kbit/s, Annex A: Silence Compression Scheme</i> ; ITU-T Recommendation G.723.1 - Annex A; © ITU 1997; 22 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series G: Transmission Systems and Media, Digital Transmission Systems - Terminal Equipments - Coding of Analogue Signals by Methods Other Than PCM, "Coding of Speech at 8 kbit/s Using Conjugate Structure Algebraic-Code-Excited Linear-Prediction (CS-ACELP), Annex B: A Silence Compression Scheme For G.729 Optimized for Terminals Conforming to Recommendation V.70, ITU-T Recommendation G.729 - Annex B; © ITU 1997; 23 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series G: Transmission Systems and Media, Digital Transmission Systems - Terminal Equipments - Coding of Analogue Signals by Methods Other Than PCM, <i>Coding of Speech at 8 kbit/s Using Conjugate Structure Algebraic-Code-Excited Linear-Prediction (CS-ACELP) Annex A: Reduced Complexity 8 kbit/s CS-ACELP Speech Codec</i> , ITU-T Recommendation G.729 - Annex A; © ITU 1997; 15 sheets
FD	—	European Telecommunication Standard, <i>Digital Cellular Telecommunications System; Half Rate Speech; Voice Activity Detector (VAD) for Half Rate Speech Traffic Channels (GSM 06.42 version 5.0.1)</i> ; Source ETS; TC-GSM; Reference DE/SMG-110642Q; ©1997; 21 sheets

EXAMINER SIGNATURE

DATE CONSIDERED


5/19/05

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.


Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

RRT/clv

Sheet 7 of 9

FORM PTO/SB/08A/B (10-01) Substitute for PTO-1449A/B INFORMATION DISCLOSURE STATEMENT BY APPLICANT  (use as many sheets as necessary)	Attorney Docket Number	36792/SAH/B600
	Application Number	09/643,920
	Filing Date	August 23, 2000
	Applicant(s)	Onur Packin, et al.
	Group Art Unit	2600
	Examiner Name	Technology Center 2600

OTHER DOCUMENTS		
EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T, Telecommunication Standardization Sector of ITU, Series I: Integrated Services Digital Network, Overall Network Aspects and Functions - Protocol Layer Requirements, <i>B-ISDN ATM Adaptation Layer Specification: Type 2 AAL</i> , ITU-T Recommendation I.363.2; © 1998; 47 sheets
FD	—	Internet Papers: PERKINS et al.; <i>RTP Payload for Redundant Audio Data</i> ; Network Working Group Request for Comments: 2198; http://www.cis.ohio-state.edu/cgi-bin/rfc/rfc2198.html ; September 1997; pages 1-9
FD	—	Internet Papers: SCHULZRINNE, "RTP Profile for Audio and Video Conferences with Minimal Control," Internet Engineering Task Force, Internet Draft; http://hegel.itc.ukans.edu/topics/internet/internet-drafts/draft-i/draft-ietf-avt-profile-new-C.. ; November 20, 1997; pages 1-29
FD	—	IMTC Voice over IP Forum Technical Committee, "IMTC Voice over IP Forum Service Interoperability Implementation Agreement 1.0," December 1, 1997, VoIP97-061; pages 1-44
FD	—	EDWARD B. MORGAN, Fax Over Packet; Telogy Networks, Inc., Germantown, Maryland; © 1998; pages 1-12
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series V: Data Communication Over The Telephone Network, <i>A Modem Operating at Data Signalling Rates of up to 33 600 bit/s for Use on the General Switched Telephone Network and on Leased Point-to-Point 2-Wire Telephone-Type Circuits</i> ; ITU-T Recommendation V. 34; © ITU 1998; 78 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, SERIES T: TERMINALS FOR TELEMATIC SERVICES, <i>Procedures for Real Time Group 3 Facsimile Communication Over IP Networks</i> , ITU-T Pre-published Recommendation T. 38; © ITU 1998; 32 sheets

EXAMINER SIGNATURE		DATE CONSIDERED	5/19/05
EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹ Applicant's unique citation designation number (optional). ² See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³ Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴ For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵ Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶ Applicant is to place a check mark here if English Language Translation is attached.			

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

NOV 17 2004

(use as many sheets as necessary)

Attorney Docket Number

36792/SAH/B600

Application Number

09/643,920

Filing Date

August 23, 2000

Applicant(s)

Onur Tackin, et al.

Group Art Unit

2666

Examiner Name


Frank Duong

Technology Center 2600

OTHER DOCUMENTS

EXAMINER INITIALS	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article, title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series V: Data Communication Over the Telephone Network, Simultaneous Transmission of Data and Other Signals, <i>A Digital Modem and Analogue Modem Pair For Use on the Public Switched Telephone Network (PSTN) at Data Signalling Rates of up to 56 000 bit/s Downstream and up to 33 600 bit/s Upstream</i> , ITU-T Recommendation V. 90; © ITU 1999; 49 sheets
FD	—	FRAME RELAY FORUM TECHNICAL COMMITTEE, <i>Voice over Frame Relay Implementation Agreement</i> ; © 1998; 54 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series I: Integrated Services Digital Network, Overall Network Aspects and Functions - Protocol Layer Requirements, <i>AAL Type 2 Service Specific Convergence Sublayer For Trunking</i> ; ITU-T Recommendation I.366.2; © ITU 1999; 96 sheets
FD	—	Internet Papers: SCHULZRINNE et al.; <i>RTP Payload for DTMF Digits, Telephony Tones and Telephony Signals</i> ; Network Working Group Request for Comments: 2833; © The Internet Society 2000; 31 sheets
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series G: Transmission Systems and Media, Digital Systems and Networks, International Telephone Connections and Circuits - Apparatus Associated With Long-Distance Telephone Circuits, <i>Digital Network Echo Cancellers</i> ; ITU-T Recommendation G. 168; © ITU 1997; 95 sheets
FD	—	ETSI EN 300 973, GLOBAL SYSTEM FOR MOBILE COMMUNICATIONS, <i>Digital cellular telecommunications system (Phase 2+); Half rate speech; Voice Activity Detector (VAD) for half rate speech traffic channels</i> ; GSM 06.42 version 8.0.1 Release 1999); © 2000; pages 1-22
FD	—	INTERNATIONAL TELECOMMUNICATION UNION, ITU-T Telecommunication Standardization Sector of ITU, Series G: Transmission Systems and Media, Digital Systems and Networks, Automatic Level Control Devices; ITU-T Recommendation G.169; © ITU 1999; pages 1-52

CLV PASS93709.1*-11/15/04 11:00 AM

EXAMINER SIGNATURE		DATE CONSIDERED	5/19/05
<small>EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. ¹Applicant's unique citation designation number (optional). ²See Kinds Codes of USPTO Patent Documents at www.pto.gov or MPEP 901.4. ³Enter Office that issued the document, by the two-letter code (WIPO standard ST.3). ⁴For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English Language Translation is attached.</small>			

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

RRT/clv

Sheet 9 of 9